

# Declaration of performance No. 0001

according to annex III of the Regulation (EU) No. 305/2011

for the product:

## wedi construction panel / Fundo sealing system

1. Unique identification code of the product-type:

wedi construction panel/Fundo sealing system, comprising:

wedi building board	Fundo Primo
wedi Tools sealing tape	Fundo Riolito
wedi Tools corners	Fundo Riofino
wedi Tools seal collars	Fundo Ligno
wedi 610	Fundo Nautilo
Tile adhesive for bonding	Fundo Trollo
the wedi modular panels and the tiles/ceramic	Fundo Borgo

The dimensions etc. of the relevant products can be found in the approval ETA-13/0385 at [www.wedi.net](http://www.wedi.net)

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4): For batch number: see product packaging
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Modular kit with waterproof panels for sealing walls and floors in wet rooms. Meets the requirements according to ETAG 022 – Part 3
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5): wedi GmbH, Hollefeldstraße 51, 48282 Emsdetten, Germany
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2): not relevant
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 2+ / System 3
7. In case of the declaration of performance concerning a construction product covered by a harmonised standard: not relevant
8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued: The notified test body, KIWA MPA Baustest GmbH, Greven, NB:0799, performed the initial inspection of the factory and the in-house factory production control as well as the continuous monitoring, assessment and evaluation of the in-house factory production control according to the System 2+ and issued the following: Certificate of conformity of the in-house factory production control no. 0799-CPR-132. The initial fire rating tests were performed according to System 3 in a notified testing laboratory.

## 9. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Fire behaviour	E	EN 13501-1
Water vapour permeability	$S_d > 0.7 \text{ m}$	ETAG 022 – Part 3
Watertightness	Watertight	
Crack-bridging ability	Category 1: 0.4mm	
Tensile adhesive strength after storage	Category 1 $\geq 0.2 \text{ MPa}$ Category 2 $\geq 0.3 \text{ MPa}$	
Joint-bridging ability	Category 2	
Shape retention	Lengthwise and crosswise $< \pm 0.1\%$ thickness $< \pm 5\%$	
Temperature resistance	Temperature resistant	
Water resistance	Water resistant	
Alkali resistance	Alkali resistant (50 °C/8W)	
Watertightness at penetrations	Passed	

Where pursuant to Article 37 or 38 the Specific Technical Documentation has been used, the requirements with which the product complies:  
Not applicable

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Patrick Stocken, M. Sc. Industrial Engineering,  
Head of System Technology



Emsdetten, March 2022  
(place and date of issue)

(signature)